

2004 DYLAN 125 DYLAN 150 PRESS INFORMATION

Sharp and sporty, and styled for fun. The exciting Dylan 125 really brightens the day with its swift performance and carefree riding ease. Built to carry one or two in comfort, the Dylan really sets the pace when scooting across town or to greater fun up ahead. Power comes on smooth and strong from a compact, smooth and highly reliable liquid-cooled 4-stroke engine that starts right up at the touch of a button. Wide, grippy tubeless tyres are mounted on swift-looking aluminium wheels and ably stopped by a responsive front disc brake and rear drum. Got things to carry? Under its comfy seat is room to carry most travelling essentials, and what won't fit can be tide down to its convenient moulded rear carrier. What more can you ask for in a such a lively looking urban scooter? Well, for a start, how about the keys?

For fully licensed riders, the larger-displacement Dylan 150 provides an extra boost in performance that makes it a perfect choice for those who want to maximise their enjoyment.

Colours

- Matte Black Grey Metallic
- Force Silver Metallic
- Candy Calcutta Red
- Candy Xenon Blue
- Rossi Pit Bike Replica

New Features

- New colour variation.

Specifications	Dylan 125 (ED-type)
Engine	Liquid-cooled 4-stroke SOHC single
Displacement	125cm ³
Bore x Stroke	52.4 x 57.8mm
Compression Ratio	11 : 1
Max. Power Output	10.1kW/9,000min ⁻¹ (95/1/EC)
Max. Torque	11.3Nm/7,250min ⁻¹ (95/1/EC)
Carburation	26mm VK-type carburettor
Ignition	Digital transistorised with electronic advance
Starter	Electric
Transmission	V-Matic
Final Drive	V-belt
Fuel Tank Capacity	9 litres (including 2-litre reserve)
Dimensions	(LxWxH) 1,940 x 700 x 1,170mm
Wheelbase	1,330mm
Seat Height	795mm
Ground Clearance	130mm
Suspension	Front 33mm telescopic fork, 88mm axle travel Rear Dual damper unit swingarm, 75mm axle travel
Wheels	Front 13 x MT2.75 cast aluminium Rear 13 x MT3.50 cast aluminium
Tyres	Front 110/90–13 56L Rear 130/70–13 57L
Brakes	Front 220mm hydraulic disc with dual-piston calliper and sintered metal pads Rear 130mm leading/trailing drum
Dry Weight	120kg

All specifications are provisional and subject to change without notice.

Specifications	Dylan 150 (ED-type)
Engine	Liquid-cooled 4-stroke SOHC single
Displacement	153cm ³
Bore x Stroke	58 x 57.8mm
Compression Ratio	11 : 1
Max. Power Output	11.6kW/8,500min ⁻¹ (95/1/EC)
Max. Torque	14.2Nm/7,000min ⁻¹ (95/1/EC)
Carburation	26mm VK-type carburettor
Ignition	Digital transistorised with electronic advance
Starter	Electric
Transmission	V-Matic
Final Drive	V-belt
Fuel Tank Capacity	9 litres (including 2-litre reserve)
Dimensions	(LxWxH) 1,940 x 700 x 1,170mm
Wheelbase	1,330mm
Seat Height	795mm
Ground Clearance	130mm
Suspension	Front 33mm telescopic fork, 88mm axle travel Rear Dual damper unit swingarm, 75mm axle travel
Wheels	Front 13 x MT2.75 cast aluminium Rear 13 x MT3.50 cast aluminium
Tyres	Front 110/90–13 56L Rear 130/70–13 57L
Brakes	Front 220mm hydraulic disc with dual-piston calliper and sintered metal pads Rear 130mm leading/trailing drum
Dry Weight	120kg

All specifications are provisional and subject to change without notice.