

# 2006 FORESIGHT PRESS INFORMATION

Elegantly styled for work and play all over town, the sleek and practical Foresight gives you quick and convenient commuting ease highlighted by the relaxing feel of supple riding comfort. Packed into its sleekly aerodynamic form, the Foresight's luxurious combination of smoothly assured handling, comfortable seating accommodations for two, and remarkable underseat carrying capacity provide a deeply satisfying riding experience that's hard to match. Cruising smoothly and easily through dense city traffic or sweeping calmly and quietly down less crowded avenues, its smooth and silent liquid-cooled single-cylinder engine delivers powerful performance with confident control. Truly impressive acceleration is as close as a twist of its throttle. So, if you're in the market for elegant style and versatility in a commuting machine, the Foresight is certainly a hard deal to beat.

## **Colours**

- Interstellar Black Metallic
- Pearl Montana Blue
- Force Silver Metallic

<b>Specifications</b>	<b>Foresight (ED-type)</b>
<b>Engine</b>	
Type	Liquid-cooled 4-stroke OHC single
Displacement	249.4cm <sup>3</sup>
Bore x Stroke	72.7 x 60mm
Compression Ratio	10.5 : 1
Max. Power Output	14.1kW/7,000min <sup>-1</sup> (95/1/EC)
Max. Torque	21Nm/5,500min <sup>-1</sup> (95/1/EC)
<b>Fuel System</b>	
Carburation	30mm CV-type carburettor
Fuel Tank Capacity	12 litres
<b>Electrical System</b>	
Ignition System	Fully transistorised electronic
Starter	Electric
<b>Drivetrain</b>	
Transmission Type	V-Matic
<b>Chassis</b>	
Dimensions	(LxWxH) 2,070 x 735 x 1,425mm
Wheelbase	1,450mm
Seat Height	745mm
Ground Clearance	140mm
Dry Weight	158.9kg
<b>Suspension</b>	
Type	Front 33mm telescopic fork, 88.7mm axle travel Rear Single damper unit swingarm, 96.2mm axle travel
<b>Wheels</b>	
Type	Front U-section 5-spoke cast aluminium Rear U-section 5-spoke cast aluminium
Rim Size	Front 12 x MT2.75 Rear 12 x MT3.50
Tyre Size	Front 110/90-12 64L Rear 130/70-12 62L

**Brakes**

Type

Front 240mm hydraulic disc with Combined 3-piston calliper,  
drilled rotor and resin mould pads

Rear 220mm hydraulic disc with single-piston calliper and resin  
mould pads

All specifications are provisional and subject to change without notice.